

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
 PH: 6.4
 %OM: 4.8
 PREV.CROP: GLXMA - SOYBEAN
 %RESIDUE: 0
 PLOT WIDTH: 10 X 35 FEET

DESIGN: RCB
 REPS: 3

APPL. NUMBER	01	02	UNIT
TIMINGS	09	12	
TYPE	LIQMXSPR	LIQMXSPR	
APPLICATION DATE	05/31/02	07/02/02	AME
AIR TEMPERATURE	87	78	F
% REL.HUMIDITY	70	65	
WIND DIRECTION	NORTHWEST	SOUTHWEST	
WIND SPEED	10.0	3.0	M/H
CLOUD COVER	CLEAR	PARTCLDY	
DEW	DRY	DRY	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	---	---	
METHOD	SPRAY	SPRAY	
EQUIPMENT	BACKPACKS	BACKPACKS	
PROPELLANT	COMPRSCO2	COMPRSCO2	
PLACEMENT	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	
NOZZLE NUMBER	6	6	
NOZZLE SPACING	20.000	20.000	IN
SWATH WIDTH	10.0	10.0	FT
SPRAY VOLUME	20.00	20.00	
VOLUME UNIT	GPA	GPA	
PRESSURE	32.00	32.00	PSI
DILUENT	WATER	WATER	
INC. DATE			AME
INC. START			24H
INC. END			24H
INC. DEPTH			IN
INC. EQUIPMENT	---	---	
DN/SG/MMZ			
*** CROP ***			
CORN, DENT		---/18	
VARIETIES		16.0/16.0	IN
05/31/2002			
*** PEST ***			
VELVETLEAF		---/16	
		3.00/5.00	IN
LAMBSQUARTERS, C		---/19	
		2.00/4.00	IN
MORNINGGLORY, IV		---/18	
		1.00/3.00	IN
FOXTAIL, GIANT		---/13	
		2.00/6.00	IN

* TIMING CODES

09 = ----- / PREEMERGENCE
 12 = ----- / POST

* STAGE CODE

13 = 3 LEAVES UNFOLDED
 16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 18 = 8 LEAVES UNFOLDED
 19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

DATA MEAN

TITLE: Hybrids and Tillage Systems in Roundup Ready Corn C-500E
CREATED: 05/16/2002 **REVISED:** 10/23/2002 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT **WIDE X** 35.00 FT **LONG**

REPS: 03

TRT	TREATMENT	DOSAGE		ZEAMD	SETFA	IPOHE	ABUTH	CHEAL	ZEAMD
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %	CON %
					07/02/02	07/02/02	07/02/02	07/02/02	07/16/02
1A»	STRIP TILL	0.00	NA	0	0	94	94	96	99
	B»DK 6017RR	0.00	NA	0					0
	C»BICEP II MAGNU	2.89	LAA	9					
	D»CALLISTO 4SC	0.094	LAA	12					
	E ATRAZINE DF	0.25	LAA	12					
	F»COC	1.00	PMV	12					
	G 28% UAN	2.50	PMV	12					
2A»	STRIP TILL	0.00	NA	0	0	96	52	98	99
	B»DK 738RR	0.00	NA	0					0
	C»BICEP II MAGNU	2.89	LAA	9					
	D»CALLISTO 4SC	0.094	LAA	12					
	E ATRAZINE DF	0.25	LAA	12					
	F»COC	1.00	PMV	12					
	G 28% UAN	2.50	PMV	12					
3A»	STRIP TILL	0.00	NA	0	0	92	83	95	99
	B»DK 740RR	0.00	NA	0					0
	C»BICEP II MAGNU	2.89	LAA	9					
	D»CALLISTO 4SC	0.094	LAA	12					
	E ATRAZINE DF	0.25	LAA	12					
	F»COC	1.00	PMV	12					
	G 28% UAN	2.50	PMV	12					
4A»	STRIP TILL	0.00	NA	0	0	94	87	98	98
	B»DK 740RR	0.00	NA	0					0
	C HARNESS XTRA	2.10	LAA	9					
	D»RNDUP ULTRA MA	0.75	LAA	12					
	E»LIQUID AMS	2.50	PMV	12					
5A»	CONVENTIONAL T	0.00	PAM	0	0	96	87	95	99
	B»DK 738RR	0.00	NA	0					0
	C»BICEP II MAGNU	2.89	LAA	9					
	D»CALLISTO 4SC	0.094	LAA	12					
	E ATRAZINE DF	0.25	LAA	12					
	F»COC	1.00	PMV	12					
	G 28% UAN	2.50	PMV	12					
6A»	CONVENTIONAL T	0.00	PAM	0	0	95	82	90	99
	B»DK 738RR	0.00	NA	0					0
	C HARNESS XTRA	2.10	LAA	9					
	D»RNDUP ULTRA MA	0.75	LAA	12					
	E»LIQUID AMS	2.50	PMV	12					
7A»	CONVENTIONAL T	0.00	PAM	0	0	95	86	95	99
	B»DK 740RR	0.00	NA	0					0
	C»BICEP II MAGNU	2.89	LAA	9					
	D»CALLISTO 4SC	0.094	LAA	12					
	E ATRAZINE DF	0.25	LAA	12					
	F»COC	1.00	PMV	12					
	G 28% UAN	2.50	PMV	12					
8A»	CONVENTIONAL T	0.00	PAM	0	0	95	85	93	99
	B»DK 740RR	0.00	NA	0					0
	C HARNESS XTRA	2.10	LAA	9					
	D»RNDUP ULTRA MA	0.75	LAA	12					
	E»LIQUID AMS	2.50	PMV	12					
9A»	STRIP TILL	0.00	NA	0	0	93	85	97	99
	B»DK 6017RR	0.00	NA	0					0
	C HARNESS XTRA	2.10	LAA	9					
	D»RNDUP ULTRA MA	0.75	LAA	12					
	E»LIQUID AMS	2.50	PMV	12					
10A»	STRIP TILL	0.00	NA	0	0	93	37	98	99
	B»DK 738RR	0.00	NA	0					0
	C HARNESS XTRA	2.10	LAA	9					
	D»RNDUP ULTRA MA	0.75	LAA	12					
	E»LIQUID AMS	2.50	PMV	12					

DATA MEAN

TITLE: Hybrids and Tillage Systems in Roundup Ready Corn C-500E

TRT	TREATMENT	DOSAGE		ZEAMD	SETFA	IPOHE	ABUTH	CHEAL	ZEAMD
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %	CON %
					07/02/02	07/02/02	07/02/02	07/02/02	07/16/02
11A»	STRIP TILL	0.00	NA	0	0	99	99	99	0
	B»DK 6017RR	0.00	NA	0					
	C»WEED FREE	0.00	NA	0					
12A»	STRIP TILL	0.00	NA	0	0	99	99	99	0
	B»DK 740RR	0.00	NA	0					
	C»WEED FREE	0.00	NA	0					
13A»	CONVENTIONAL T	0.00	PAM	0	0	94	86	93	0
	B»DK 6017RR	0.00	NA	0					
	C»BICEP II MAGNU	2.89	LAA	9					
	D»CALLISTO 4SC	0.094	LAA	12					
	E ATRAZINE DF	0.25	LAA	12					
	F»COC	1.00	PMV	12					
	G 28% UAN	2.50	PMV	12					
14A»	CONVENTIONAL T	0.00	PAM	0	0	99	99	99	0
	B»DK 738RR	0.00	NA	0					
	C»WEED FREE	0.00	NA	0					
15A»	CONVENTIONAL T	0.00	PAM	0	0	95	40	95	0
	B»DK 6017RR	0.00	NA	0					
	C HARNESS XTRA	2.10	LAA	9					
	D»RNDUP ULTRA MA	0.75	LAA	12					
	E»LIQUID AMS	2.50	PMV	12					
16A»	CONVENTIONAL T	0.00	PAM	0	0	99	99	99	0
	B»DK 740RR	0.00	NA	0					
	C»WEED FREE	0.00	NA	0					
17A»	STRIP TILL	0.00	NA	0	0	99	99	99	0
	B»DK 738RR	0.00	NA	0					
	C»WEED FREE	0.00	NA	0					
18A»	STRIP TILL	0.00	NA	0	0	0	0	0	0
	B»DK 6017RR	0.00	NA	0					
	C CHECK	0.00	NA	0					
19A»	STRIP TILL	0.00	NA	0	0	0	0	0	0
	B»DK 740RR	0.00	NA	0					
	C CHECK	0.00	NA	0					
20A»	STRIP TILL	0.00	NA	0	0	0	0	0	0
	B»DK 738RR	0.00	NA	0					
	C CHECK	0.00	NA	0					
21A»	CONVENTIONAL T	0.00	PAM	0	0	0	0	0	0
	B»DK 738RR	0.00	NA	0					
	C CHECK	0.00	NA	0					
22A»	CONVENTIONAL T	0.00	PAM	0	0	99	99	99	0
	B»DK 6017RR	0.00	NA	0					
	C»WEED FREE	0.00	NA	0					
23A»	CONVENTIONAL T	0.00	PAM	0	0	0	0	0	0
	B»DK 6017RR	0.00	NA	0					
	C CHECK	0.00	NA	0					
24A»	CONVENTIONAL T	0.00	PAM	0	0	0	0	0	0
	B»DK 740RR	0.00	NA	0					
	C CHECK	0.00	NA	0					
LSD (0.05)					0.00	2.07	12.42	3.81	0.00
STANDARD DEVIATION					0.00	1.00	6.21	1.91	0.00

DATA MEAN

TITLE: Hybrids and Tillage Systems in Roundup Ready Corn C-500E

CREATED: 05/16/2002 REVISED: 10/23/2002

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: Urbana

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 10.00 FT WIDE X 35.00 FT LONG

REPS: 03

TRT	TREATMENT	DOSAGE		SETFA	CHEAL	ABUTH	IPOHE	ZEAMD	SETFA
NUM	COMPONENT	RATE	UNIT	CON %	CON %	CON %	CON %	CON %	CON %
			TM	07/16/02	07/16/02	07/16/02	07/16/02	08/05/02	08/05/02
1A»	STRIP TILL	0.00	NA	0	99	99	99	0	99
	B»DK 6017RR	0.00	NA	0					
	C»BICEP II MAGNU	2.89	LAA	9					
	D»CALLISTO 4SC	0.094	LAA	12					
	E ATRAZINE DF	0.25	LAA	12					
	F»COC	1.00	PMV	12					
	G 28% UAN	2.50	PMV	12					
2A»	STRIP TILL	0.00	NA	0	99	99	99	0	99
	B»DK 738RR	0.00	NA	0					
	C»BICEP II MAGNU	2.89	LAA	9					
	D»CALLISTO 4SC	0.094	LAA	12					
	E ATRAZINE DF	0.25	LAA	12					
	F»COC	1.00	PMV	12					
	G 28% UAN	2.50	PMV	12					
3A»	STRIP TILL	0.00	NA	0	99	99	99	0	99
	B»DK 740RR	0.00	NA	0					
	C»BICEP II MAGNU	2.89	LAA	9					
	D»CALLISTO 4SC	0.094	LAA	12					
	E ATRAZINE DF	0.25	LAA	12					
	F»COC	1.00	PMV	12					
	G 28% UAN	2.50	PMV	12					
4A»	STRIP TILL	0.00	NA	0	99	99	99	0	99
	B»DK 740RR	0.00	NA	0					
	C HARNESS XTRA	2.10	LAA	9					
	D»RNDUP ULTRA MA	0.75	LAA	12					
	E»LIQUID AMS	2.50	PMV	12					
5A»	CONVENTIONAL T	0.00	PAM	0	99	99	99	0	98
	B»DK 738RR	0.00	NA	0					
	C»BICEP II MAGNU	2.89	LAA	9					
	D»CALLISTO 4SC	0.094	LAA	12					
	E ATRAZINE DF	0.25	LAA	12					
	F»COC	1.00	PMV	12					
	G 28% UAN	2.50	PMV	12					
6A»	CONVENTIONAL T	0.00	PAM	0	99	99	99	0	99
	B»DK 738RR	0.00	NA	0					
	C HARNESS XTRA	2.10	LAA	9					
	D»RNDUP ULTRA MA	0.75	LAA	12					
	E»LIQUID AMS	2.50	PMV	12					
7A»	CONVENTIONAL T	0.00	PAM	0	99	99	99	0	99
	B»DK 740RR	0.00	NA	0					
	C»BICEP II MAGNU	2.89	LAA	9					
	D»CALLISTO 4SC	0.094	LAA	12					
	E ATRAZINE DF	0.25	LAA	12					
	F»COC	1.00	PMV	12					
	G 28% UAN	2.50	PMV	12					
8A»	CONVENTIONAL T	0.00	PAM	0	99	99	99	0	99
	B»DK 740RR	0.00	NA	0					
	C HARNESS XTRA	2.10	LAA	9					
	D»RNDUP ULTRA MA	0.75	LAA	12					
	E»LIQUID AMS	2.50	PMV	12					
9A»	STRIP TILL	0.00	NA	0	99	99	99	0	99
	B»DK 6017RR	0.00	NA	0					
	C HARNESS XTRA	2.10	LAA	9					
	D»RNDUP ULTRA MA	0.75	LAA	12					
	E»LIQUID AMS	2.50	PMV	12					
10A»	STRIP TILL	0.00	NA	0	99	99	99	0	99
	B»DK 738RR	0.00	NA	0					
	C HARNESS XTRA	2.10	LAA	9					
	D»RNDUP ULTRA MA	0.75	LAA	12					
	E»LIQUID AMS	2.50	PMV	12					

DATA MEAN

TITLE: Hybrids and Tillage Systems in Roundup Ready Corn C-500E

TRT	TREATMENT	DOSAGE		SETFA	CHEAL	ABUTH	IPOHE	ZEAMD	SETFA
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %	CON %
					07/16/02	07/16/02	07/16/02	07/16/02	08/05/02
11A»	STRIP TILL	0.00	NA	0	99	99	99	99	0
	B»DK 6017RR	0.00	NA	0					99
	C»WEED FREE	0.00	NA	0					
12A»	STRIP TILL	0.00	NA	0	99	99	99	99	0
	B»DK 740RR	0.00	NA	0					99
	C»WEED FREE	0.00	NA	0					
13A»	CONVENTIONAL T	0.00	PAM	0	99	99	99	99	0
	B»DK 6017RR	0.00	NA	0					99
	C»BICEP II MAGNU	2.89	LAA	9					
	D»CALLISTO 4SC	0.094	LAA	12					
	E ATRAZINE DF	0.25	LAA	12					
	F»COC	1.00	PMV	12					
	G 28% UAN	2.50	PMV	12					
14A»	CONVENTIONAL T	0.00	PAM	0	99	99	99	99	0
	B»DK 738RR	0.00	NA	0					99
	C»WEED FREE	0.00	NA	0					
15A»	CONVENTIONAL T	0.00	PAM	0	99	99	99	87	0
	B»DK 6017RR	0.00	NA	0					99
	C HARNESS XTRA	2.10	LAA	9					
	D»RNDUP ULTRA MA	0.75	LAA	12					
	E»LIQUID AMS	2.50	PMV	12					
16A»	CONVENTIONAL T	0.00	PAM	0	99	99	99	99	0
	B»DK 740RR	0.00	NA	0					99
	C»WEED FREE	0.00	NA	0					
17A»	STRIP TILL	0.00	NA	0	99	99	99	99	0
	B»DK 738RR	0.00	NA	0					99
	C»WEED FREE	0.00	NA	0					
18A»	STRIP TILL	0.00	NA	0	0	0	0	0	0
	B»DK 6017RR	0.00	NA	0					0
	C CHECK	0.00	NA	0					
19A»	STRIP TILL	0.00	NA	0	0	0	0	0	0
	B»DK 740RR	0.00	NA	0					0
	C CHECK	0.00	NA	0					
20A»	STRIP TILL	0.00	NA	0	0	0	0	0	0
	B»DK 738RR	0.00	NA	0					0
	C CHECK	0.00	NA	0					
21A»	CONVENTIONAL T	0.00	PAM	0	0	0	0	0	0
	B»DK 738RR	0.00	NA	0					0
	C CHECK	0.00	NA	0					
22A»	CONVENTIONAL T	0.00	PAM	0	99	99	99	99	0
	B»DK 6017RR	0.00	NA	0					99
	C»WEED FREE	0.00	NA	0					
23A»	CONVENTIONAL T	0.00	PAM	0	0	0	0	0	0
	B»DK 6017RR	0.00	NA	0					0
	C CHECK	0.00	NA	0					
24A»	CONVENTIONAL T	0.00	PAM	0	0	0	0	0	0
	B»DK 740RR	0.00	NA	0					0
	C CHECK	0.00	NA	0					
LSD (0.05)					0.197	0.00	0.00	3.32	0.00
STANDARD DEVIATION					0.098	0.00	0.00	1.66	0.00
									0.393
									0.197

DATA MEAN

TITLE: Hybrids and Tillage Systems in Roundup Ready Corn C-500E
CREATED: 05/16/2002 **REVISED:** 10/23/2002 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT **WIDE X** 35.00 FT **LONG** **REPS:** 03

TRT	TREATMENT	DOSAGE	ABUTH	CHEAL	IPOHE
NUM	COMPONENT	RATE	UNIT	CON %	CON %
			TM	08/05/02	08/05/02
					08/05/02
1A»	STRIP TILL	0.00	NA	0	99
B»	DK 6017RR	0.00	NA	0	99
C»	BICEP II MAGNU	2.89	LAA	9	90
D»	CALLISTO 4SC	0.094	LAA	12	
E	ATRAZINE DF	0.25	LAA	12	
F»	COC	1.00	PMV	12	
G	28% UAN	2.50	PMV	12	
2A»	STRIP TILL	0.00	NA	0	99
B»	DK 738RR	0.00	NA	0	99
C»	BICEP II MAGNU	2.89	LAA	9	88
D»	CALLISTO 4SC	0.094	LAA	12	
E	ATRAZINE DF	0.25	LAA	12	
F»	COC	1.00	PMV	12	
G	28% UAN	2.50	PMV	12	
3A»	STRIP TILL	0.00	NA	0	99
B»	DK 740RR	0.00	NA	0	99
C»	BICEP II MAGNU	2.89	LAA	9	90
D»	CALLISTO 4SC	0.094	LAA	12	
E	ATRAZINE DF	0.25	LAA	12	
F»	COC	1.00	PMV	12	
G	28% UAN	2.50	PMV	12	
4A»	STRIP TILL	0.00	NA	0	99
B»	DK 740RR	0.00	NA	0	99
C	HARNESS XTRA	2.10	LAA	9	90
D»	RNDUP ULTRA MA	0.75	LAA	12	
E»	LIQUID AMS	2.50	PMV	12	
5A»	CONVENTIONAL T	0.00	PAM	0	99
B»	DK 738RR	0.00	NA	0	99
C»	BICEP II MAGNU	2.89	LAA	9	95
D»	CALLISTO 4SC	0.094	LAA	12	
E	ATRAZINE DF	0.25	LAA	12	
F»	COC	1.00	PMV	12	
G	28% UAN	2.50	PMV	12	
6A»	CONVENTIONAL T	0.00	PAM	0	99
B»	DK 738RR	0.00	NA	0	99
C	HARNESS XTRA	2.10	LAA	9	96
D»	RNDUP ULTRA MA	0.75	LAA	12	
E»	LIQUID AMS	2.50	PMV	12	
7A»	CONVENTIONAL T	0.00	PAM	0	99
B»	DK 740RR	0.00	NA	0	99
C»	BICEP II MAGNU	2.89	LAA	9	93
D»	CALLISTO 4SC	0.094	LAA	12	
E	ATRAZINE DF	0.25	LAA	12	
F»	COC	1.00	PMV	12	
G	28% UAN	2.50	PMV	12	
8A»	CONVENTIONAL T	0.00	PAM	0	99
B»	DK 740RR	0.00	NA	0	99
C	HARNESS XTRA	2.10	LAA	9	93
D»	RNDUP ULTRA MA	0.75	LAA	12	
E»	LIQUID AMS	2.50	PMV	12	
9A»	STRIP TILL	0.00	NA	0	99
B»	DK 6017RR	0.00	NA	0	99
C	HARNESS XTRA	2.10	LAA	9	91
D»	RNDUP ULTRA MA	0.75	LAA	12	
E»	LIQUID AMS	2.50	PMV	12	
10A»	STRIP TILL	0.00	NA	0	99
B»	DK 738RR	0.00	NA	0	99
C	HARNESS XTRA	2.10	LAA	9	86
D»	RNDUP ULTRA MA	0.75	LAA	12	
E»	LIQUID AMS	2.50	PMV	12	

DATA MEAN

TITLE: Hybrids and Tillage Systems in Roundup Ready Corn C-500E

TRT	TREATMENT	DOSAGE		ABUTH	CHEAL	IPOHE
NUM	COMPONENT	RATE	UNIT	CON %	CON %	CON %
			TM	08/05/02	08/05/02	08/05/02
11A»	STRIP TILL	0.00	NA	0	99	99
	B»DK 6017RR	0.00	NA	0		
	C»WEED FREE	0.00	NA	0		
12A»	STRIP TILL	0.00	NA	0	99	99
	B»DK 740RR	0.00	NA	0		
	C»WEED FREE	0.00	NA	0		
13A»	CONVENTIONAL T	0.00	PAM	0	99	99
	B»DK 6017RR	0.00	NA	0		
	C»BICEP II MAGNU	2.89	LAA	9		
	D»CALLISTO 4SC	0.094	LAA	12		
	E ATRAZINE DF	0.25	LAA	12		
	F»COC	1.00	PMV	12		
	G 28% UAN	2.50	PMV	12		
14A»	CONVENTIONAL T	0.00	PAM	0	99	99
	B»DK 738RR	0.00	NA	0		
	C»WEED FREE	0.00	NA	0		
15A»	CONVENTIONAL T	0.00	PAM	0	99	99
	B»DK 6017RR	0.00	NA	0		
	C HARNESS XTRA	2.10	LAA	9		
	D»RNDUP ULTRA MA	0.75	LAA	12		
	E»LIQUID AMS	2.50	PMV	12		
16A»	CONVENTIONAL T	0.00	PAM	0	99	99
	B»DK 740RR	0.00	NA	0		
	C»WEED FREE	0.00	NA	0		
17A»	STRIP TILL	0.00	NA	0	99	99
	B»DK 738RR	0.00	NA	0		
	C»WEED FREE	0.00	NA	0		
18A»	STRIP TILL	0.00	NA	0	0	0
	B»DK 6017RR	0.00	NA	0		
	C CHECK	0.00	NA	0		
19A»	STRIP TILL	0.00	NA	0	0	0
	B»DK 740RR	0.00	NA	0		
	C CHECK	0.00	NA	0		
20A»	STRIP TILL	0.00	NA	0	0	0
	B»DK 738RR	0.00	NA	0		
	C CHECK	0.00	NA	0		
21A»	CONVENTIONAL T	0.00	PAM	0	0	0
	B»DK 738RR	0.00	NA	0		
	C CHECK	0.00	NA	0		
22A»	CONVENTIONAL T	0.00	PAM	0	99	99
	B»DK 6017RR	0.00	NA	0		
	C»WEED FREE	0.00	NA	0		
23A»	CONVENTIONAL T	0.00	PAM	0	0	0
	B»DK 6017RR	0.00	NA	0		
	C CHECK	0.00	NA	0		
24A»	CONVENTIONAL T	0.00	PAM	0	0	0
	B»DK 740RR	0.00	NA	0		
	C CHECK	0.00	NA	0		
LSD (0.05)				0.00	0.00	3.79
STANDARD DEVIATION				0.00	0.00	1.90

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

00 = ----- / UNTREATED TIMING

09 = ----- / PREEMERGENCE 05/31/2002(1)

12 = ----- / POST 07/02/2002(2)

DATA MEAN

TITLE: Hybrids and Tillage Systems in Roundup Ready Corn C-500E

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
01	ZEAMD	CON %	07/02/2002	01	P	ZEAMD	18	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
02	SETFA	CON %	07/02/2002	02	P	SETFA	13	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
03	IPOHE	CON %	07/02/2002	05	P	IPOHE	18	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
04	ABUTH	CON %	07/02/2002	03	P	ABUTH	16	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
05	CHEAL	CON %	07/02/2002	04	P	CHEAL	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
06	ZEAMD	CON %	07/16/2002	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
07	SETFA	CON %	07/16/2002	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
10	CHEAL	CON %	07/16/2002	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
09	ABUTH	CON %	07/16/2002	03	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
08	IPOHE	CON %	07/16/2002	05	P	IPOHE		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
11	ZEAMD	CON %	08/05/2002	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
12	SETFA	CON %	08/05/2002	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
14	ABUTH	CON %	08/05/2002	03	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
15	CHEAL	CON %	08/05/2002	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
13	IPOHE	CON %	08/05/2002	05	P	IPOHE		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - CULTIVAR (IF APPLICABLE)

01 = VARIETIES

* STAGE CODE

13 = 3 LEAVES UNFOLDED

16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

18 = 8 LEAVES UNFOLDED

19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED